



**200 S. Hough Street, Village Hall - Noncontributing**

The original Village Hall was constructed in 1898-99 at the site (formerly 206 S. Hough Street) and housed the various governmental offices of the community along with utility offices and fire and police services. The two-story brick building was designed in the Italianate style with a corner tower. This building was replaced in 2001 with the existing building based on the historic design of the original Village Hall.



### **214 S. Hough Street - Noncontributing**

The building at 214 S. Hough Street is a gable front brick commercial building constructed ca. 1947. The building has a concrete foundation, exterior of stretcher bond brick, a gable roof of asphalt shingles, and exterior wall brick chimneys. The main façade has a ca. 1970 added vestibule and original single-light display windows. Other windows are original two-over-two horizontal wood sash. In the gable field is a circular window.





### **303 S. Hough Street - Contributing**

At this location is a two-story multi-gabled Queen Anne-influenced Folk dwelling built ca. 1910. This dwelling has a continuous stone foundation, a hip and gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. The main façade has a full-width, hipped roof porch enclosed ca. 1915 for a sunroom with tapered wood posts, a frame skirt wall, Craftsman windows and a six-light and three-panel storm door with a two-light transom. The main entrance retains its original, single-light glass and wood door. The main façade has a single-light window with a diamond light transom. Windows are original, one-over-one double hung wood sash and single-light wood casement with wood cornices and surrounds. In the gable fields are octagonal wood shingles and louvered attic vents. On the south façade is a decorative elliptical window. On the rear façade is an original one-and one-half story wing. On the south façade of this wing is a ca. 1930 shed roof addition.



Located to the rear of the dwelling and facing E. Lake Street a ca. 1930, frame garage with a front gable roof, weatherboard siding, four-light fixed windows and six, original sliding track four-light and two-vertical wood panel doors. In the gable field is a small, fixed, single-light window. All windows have wood surrounds. On the rear façade of the garage is a shed roof lean-to with a hollow core pedestrian door and adjacent original window. - **Contributing**



#### **400 S. Hough Street - Contributing**

At this location is a two-story rectangular American Foursquare built ca. 1900. The house has a continuous stone foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. The main (E) façade has a ca. 1915, full-width, hipped roof porch that replaced an original partial-width porch and was then enclosed ca. 1930 for use as a sunroom with replacement, one-over-one double hung vinyl sash windows, a frame skirt wall covered with aluminum siding and a single-light and three-wood panel exterior door with two-light and one-wood panel sidelights. Other windows in the dwelling are original, one-over-one double hung wood sash with wood surrounds. On the north façade is an original, shed roof porch with original Tuscan wood columns, frame skirt wall and an entrance that retains its original, single-light glass and wood door. Also on this façade is an original, two-story, hipped roof, projecting bay and a decorative oval window on the second floor. On the south façade is a ca. 1910, hipped roof bay with one-over-one wood sash windows.





### **403 S. Hough Street - Contributing**

At this location is a two-story, rectangular plan American Foursquare variation built ca. 1910. The house has a continuous stone foundation, a hip and gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. The main (W) façade has a partial-width, hipped roof porch with original Tuscan wood columns and a railing with square wood balusters. The main entrance retains its original, single-light glass and wood door with a ca. 2000, aluminum and glass storm door. On the first floor of the main façade is a large, single-light fixed window with a diamond light transom and a wood cornice surround. Windows are original, one-over-one double hung wood sash with wood surrounds. On the north façade is a two-story, projecting bay with chamfered corners. The central window in this bay has a diamond light transom. Also on this façade is a diamond-light window. On the roofline of the main and south facades are gable roof dormers with a triple set of one-over-one double hung wood sash windows and gable returns. On the north façade is an additional entry from which extends a wood baluster deck.

Located to the rear of the dwelling and facing E. Lincoln Street is a ca. 1980, gable front, frame garage with an overhead metal panel track door and a hollow core wood panel pedestrian door.

### **- Noncontributing**





#### **407 S. Hough Street - Contributing**

At this location is a two-story rectangular American Foursquare dwelling built ca. 1910. The house has a continuous brick foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. The house was extensively remodeled ca. 1960 with an added hipped roof entry bay wing on the main façade with a glass and wood door with a wood surround. Windows in the dwelling are original, one-over-one double hung wood sash. On the main façade is a central two-story, bay window with a central fixed light window flanked by one-over-one double hung wood sash windows. Also on this and the south façades roofline are hipped roof dormers with two, single-light fixed windows.

Located off the southeast corner of the dwelling is a ca. 1925, single-bay, frame garage with a hipped roof of asphalt shingles, weatherboard siding, exposed eave roof rafters and original wood pane sliding track garage doors. - **Contributing**







#### **413 S. Hough Street - Contributing**

At this location is a two-story, frame, gabled ell Folk dwelling built ca. 1900. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of ca. 1970, weatherboard siding. The main (W) façade has a shed roof porch enclosed ca. 1970, for an entry bay with three light vinyl casement windows and a glass and wood oval door above which is a shed roof wood canopy with wood supports. The windows were replaced ca. 1970 with one-over-one double hung vinyl sash and have wood cornice surrounds and flanking shutters.

Located to the rear of the dwelling is a ca. 1980, two-bay, frame garage. – **Noncontributing**





#### **414 S. Hough Street - Contributing**

At this location is a two-story rectangular Italianate influenced Folk house built ca. 1880. The house has a continuous stone and brick foundation, a hipped roof of asphalt shingles, two interior brick chimneys and an exterior of weatherboard siding. The main façade has a ca. 1940 sun porch with a weatherboard skirt wall, two, triple sets of one-over-one wood double hung sash windows and a three-horizontal-light and two-wood panel door above which is a one-over-double hung wood sash window. The main entrance has an original two-light and two-panel door. The lights are elliptical and over door is a rectangular transom. At the southeast corner is an original bay window with three, one-over-one wood sash windows above which are sawtooth shingles and gable roofs and below which are inset wood panels on a base with six-light basement windows. The windows in the dwelling are original one-over-one double hung wood sash with wood cornices and surrounds. On the south façade is a ca. 1940, two-story wing with six-light casement windows and a single-light and four-panel door.





#### **417 S. Hough Street - Contributing**

Located at 417 South Hough Street is a two-story rectangular American Foursquare dwelling built ca. 1910. A sign on the house states that the house was built in 1880 but the Sanborn Map of 1905 shows a one-story dwelling at this location and the existing house was built between 1905 and 1924. The house has a stone and brick foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. The main façade has a partial-width, hipped roof porch constructed ca. 1970 with milled columns and a square wood baluster railing. The main entrance has an original single-light glass and wood door with a wood cornice and surround. Windows are original two-over-two rectangular double hung wood sash with wood cornices and surrounds. On the roofline of the main façade is a gable roof wall dormer with a single-light fixed window with a wood cornice surround. On the rear façade is an original single-story, frame wing with a rear entry porch.



Located directly to the rear of the dwelling is a ca. 1960, front gable, single-bay, frame garage with a ca. 1980, metal panel overhead track door.

#### **– Noncontributing**





#### **418 S. Hough Street - Contributing**

At this location is a ca. 1930, one-and one-half-story, brick veneer side-gabled Craftsman dwelling with a continuous poured concrete foundation, a gable roof of asphalt shingles, an exterior wall brick chimney and an exterior of stretcher bond brick veneer. On the main (E) façade is a full-width, shed roof porch with exposed roof rafters, a concrete floor, original square brick columns and a closed brick railing with a concrete cap and decorative protruding brickwork. The main entrance has an original three-light glass and wood Craftsman door. Windows are original four-over-one vertical-light double hung wood sash with brick sills and wood surrounds. On the south façade is a protruding bay with a triple set of three-over-one vertical-light double hung wood sash windows with brick sills and exposed roof rafters. At the eaves are purloins. On the roofline of the main façade is a gable roof dormer with a triple set of four-over-one double hung wood sash windows.



Located to the rear of the dwelling is a ca. 1970, two-bay, frame garage with a side gable roof of asphalt shingles and overhead metal panel track doors. - **Noncontributing**





**502 S. Hough Street – Noncontributing**

At this location is a ca. 1980 side-gabled frame building. The detached garage is located in front of the building. **-Noncontributing.**



### **506 South Hough Street – Contributing**

Located at 506 S. Hough Street is a two-story gabled ell Tudor Revival style dwelling built ca. 1930. The house has a continuous poured concrete and stucco-covered foundation, a multi-gable roof of asphalt shingles, an exterior wall brick chimney and a stucco exterior. The main (E) façade has a one-story entry bay with oversized, spired columns, pointed arch single-light fixed windows and a pointed arch glass and wood exterior door. The main entrance is an original glass and wood door. The first floor of the main façade has a large fixed window flanked by multi-light casement windows and wood shutters and surrounds. Other windows are original three-over-one vertical-light double hung wood sash with wood surrounds. In the upper façade is stucco and half-timbering and in the gable fields is weatherboard siding.

To the rear of the dwelling is an original, frame, single-bay garage with a front gable roof of asphalt shingles, an exterior of stucco and a ca. 1980, overhead metal panel track door. In the gable fields are half-timbering and weatherboard at the apex. - **Contributing**





### **507 S. Hough Street - Contributing**

At this location is a two-story, frame, gabled ell Folk dwelling built ca. 1890. The house has a continuous, brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is an original hipped roof entry porch supported by original milled columns and a wood floor. The house has two main entrances; the north bay entrance has an original, nine-light and two-wood panel door and the south bay entrance has a ca. 1940, wood panel door with an aluminum and glass storm door. Both entrances have simple wood surrounds. Windows are original, rectangular, two-over-two, double hung wood sash and two-light wood casements with wood cornice surrounds.

Off the southeast façade is a ca. 1930, two-bay, frame, garage with a front gable roof of asphalt shingles, original wood siding, two, four-light and wood panel sliding track doors. In the eaves are wood brackets. - **Contributing**





### **512 S. Hough Street - Contributing**

At this location is a two-story rectangular Italianate-influenced Folk dwelling built ca. 1880. The house has a continuous poured concrete foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main façade is a partial-width, hipped roof porch remodeled ca. 1915 with square wood posts and a solid wood railing. The main entrance has an original glass and wood paneled door with border lights and an original rectangular, single-light glass and wood transom. Windows are original one-over-one double hung wood sash with wood cornices, surrounds and corner blocks. On the south façade is an original, hipped roof bay window with a sawtooth frieze panel at the cornice eave, three, one-over-one double hung wood sash windows divided by fluted wood pilasters beneath which are inset wood panels supported by a brick base. On the rear façade is an original, single-story, frame wing. At the roofline is a wide wood cornice and sawtooth eave frieze

Located directly to the rear of the dwelling is a ca. 1920, one-story, frame garage with a front gable roof of asphalt shingles, an exterior of weatherboard siding, a wood panel pedestrian door on the east facade and a ca. 1980, metal panel overhead track door.

### **- Contributing**







### **515 S. Hough Street – Contributing**

At this location is a one-and one-half-story side-gabled Tudor Revival style dwelling built ca. 1930. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an exterior wall main façade brick chimney and an exterior of aluminum siding. On the main (W) façade is a projecting steep-pitched gable vestibule with an exterior of brick veneer and a recessed arched entrance. The main entrance retains its original, three-light glass and wood door. On the main façade is a shed roof porch supported by original square wood posts. Windows are original three-over-one vertical-light double hung wood sash with aluminum clad surrounds and metal shutters on the main facade. On the main façade beneath the shed roof porch is a triple set of diamond-pattern glass panel windows.

Off the northeast façade is a ca. 1970, frame, single-bay garage with no visible door, an exterior of aluminum siding and a side gable roof of asphalt shingles. - **Noncontributing**



### **521 S. Hough Street - Contributing**

Located at 521 S. Hough Street is a two-story gabled ell Folk Victorian (Queen Anne influence) dwelling built ca. 1890. The house has a hip and gable roof of asphalt shingles, a continuous brick foundation, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is an original shed roof porch with milled columns, wood brackets and open wood pattern railing. The main entrance retains its original wood panel door with an original single-light, rectangular transom. Adjacent to the main entrance is a single-light, fixed, rectangular window with a wood surround. Windows are original, one-over-one double hung wood sash with wood surrounds. The windows on the first floor of the main façade have single-light fixed picture windows with stained glass transoms. In the gable fields are sawtooth and octagonal shingles. On the south façade is a two-story chamfered bay with three, original windows on each floor. At the roofline is a gable dormer with a triangular sunburst-sectioned attic window. At the rear is a shed roof porch with milled columns. On the north façade is a two-story bay with chamfered corners on the first floor.

Located to the rear of the dwelling is a ca. 1990, single-story, frame garage with a clipped gable roof of asphalt shingles, weatherboard siding and vertical board hinged double doors.

### **– Noncontributing**







### **522 S. Hough Street - Contributing**

At this location is a two-story, frame, gabled ell Folk dwelling built ca. 1890. The house has a continuous brick foundation, a gable roof of asphalt shingles and an exterior of weatherboard siding. The main (E) façade has a partial-width, hipped roof porch with ca. 1980, milled columns and a milled wood railing. The main entrance has a ca. 1970, fanlight and four wood panel door. Windows are ca. 1980, one-over-one double hung vinyl sash. On the south façade is a hipped roof bay window with three, one-over-one double hung wood sash windows. On the north façade is an original, fixed, single-light, picture window with a single-light, stained glass transom flanked by one-over-one double hung wood sash windows.



To the rear of the dwelling is an original one- and one-half-story, frame, two-bay garage remodeled ca. 1970 with an exterior of aluminum siding, a side gable roof of asphalt shingles, a five-panel wood pedestrian door and two, sixteen-wood panel overhead track doors.

**– Noncontributing**



### **529 S. Hough Street - Contributing**

Located at 529 S. Hough Street is a two-story gabled ell Folk Victorian dwelling with Italianate influence, built ca. 1870. The house has a continuous stone foundation, a roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. On the main (W) façade is an original, hipped roof porch with original chamfered wood columns. The main entrance has a ca. 1970, wood panel door. Adjacent to the door is an added stained glass single-light fixed wood sash window. The main façade has a bay window with a hipped roof, paired wood eave brackets, a wood cornice, three ca. 1980, single-light fixed window panels supported by a wood base. Windows are original two-over-two rectangular double hung wood sash with wood cornice surrounds. On the south façade is a ca. 1930, hipped roof sun porch with four-over-one vertical-light double hung wood sash windows. At the roof eaves is vergeboard with milled quatrefoil panels. On the north façade is a shed roof bay with an exterior of aluminum siding.

Located off the northeast corner of the dwelling is a ca. 1920, single-bay, gable front, frame garage remodeled ca. 1980 with the addition of two additional garage bays in a side gable roof lateral wing. All three garage bays have metal panel overhead track doors.

### **– Noncontributing**







### **530 S. Hough Street - Contributing**

The dwelling located at 530 S. Hough Street is a one-and one-half-story, frame, gabled ell Folk dwelling built ca. 1880. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (E) façade is a ca. 1915, pentagonal roof sun room with an elliptical roof of asphalt shingles, an original three-light and two-wood panel exterior door and three-over-two fixed glass and wood windows. The main entrance retains its original single-light glass and wood panel door. Windows are original, one-over-one and two-over-two rectangular double hung wood sash with wood cornice surrounds. On the projecting bay of the main façade's first floor is a single-light fixed glass picture window with a l single-light, leaded glass transom. On the south façade is a bay window with a hipped roof of asphalt shingles and three, two-over-two wood sash windows. On the north façade is an enclosed, shed roof mudroom with a side entry.



Off the northwest corner of the dwelling is a ca. 1920, two-bay, frame garage with front gable roof of asphalt shingles, an exterior of weatherboard siding and ca. 1990, overhead metal panel garage doors. In the gable field is a single square opening. - **Contributing**



### **536 S. Hough Street - Contributing**

Located at 536 S. Hough Street is a one-and one-half-story, frame, gabled ell Folk dwelling built ca. 1880. This building was moved to this location in the early 20<sup>th</sup> century and became the home for the Hastings family. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior wall brick chimney and an exterior of replacement weatherboard siding. On the main (E) a shed roof porch enclosed ca. 1920 for a sunroom with a frame skirt wall, an original single-light and two wood panel exterior door and three-over-two fixed-light glass and wood windows. The main entrance has a ca. 1970, glass and wood door. Windows are ca. 1980, one-over-one double hung vinyl sash. On the north façade is a shed roof bay with a triple set of one-over-one double hung vinyl sash windows.

Off the northwest corner of the dwelling is a ca. 1975, single-bay, frame garage with no visible door and an exterior of weatherboard siding. – **Noncontributing**





### **540 S. Hough Street - Contributing**

At this location is a one-and one-half-story side-gabled Craftsman dwelling built ca. 1925. The house has a continuous poured concrete and brick foundation, a gable roof of asphalt shingles with exposed roof rafters, an exterior wall brick chimney and an exterior of weatherboard siding. On the main (E) façade is a partial-width, gable roof porch with original tapered wood columns on tapered brick piers and a square wood baluster railing. The main entrance has an original, three-light glass and wood Craftsman style door. Windows are original, three-over-one vertical-light double hung wood sash with wood surrounds and wood shutters on the main facade. On the first floor of the north and south facades are shed roof bays each with a paired set of three-over-one vertical-light double hung wood sash windows. Above these projecting shed roof bays are small wood bay windows with three, one-over-one double hung wood sash windows beneath which is band of milled wood scalloping. At the eaves are knee brace brackets. On the main façade is a large gable dormer with a triple set of three-over-one vertical-light double hung wood sash windows. A wood beltcourse surrounds the dwelling dividing the weatherboard from the brick foundation.

Off the northwest corner of the dwelling is an original, single-bay, frame garage with an exterior of weatherboard siding, a front gable roof of asphalt shingles and an original wood panel overhead track door. - **Contributing**



### 541 S. Hough Street - Contributing

Located at 541 S. Hough Street is a two-and one-half-story asymmetrical Queen Anne dwelling built in 1891 as the home of Dr. Cort Kendall and his family. The house has a continuous stone foundation, a hip and gable roof of asphalt shingles with a metal finial, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is a hip roof porch with an elliptical section on the north façade supported by original Tuscan wood columns and a wood railing. Above the entrance is a projecting gable with decorative wood scrolling in the gable field. The main entrance retains its original leaded glass and wood panel door. Windows are original one-over-one wood sash with simple wood surrounds. In the first floor projecting bay on the main façade is a large, single-light fixed window with a single-light leaded glass transom. On the north and south façade are two-story chamfered bays with original windows. At the eaves are large brackets and a wide wood cornice. In the gable fields are fish scale shingles. In the half-story are arched-painted glass single-light attic windows.



Located off the northeast corner of the dwelling is a reconstructed ca. 2000/newly built, single-bay, frame garage with a side gable roof of asphalt shingles, a metal panel overhead track door and a lateral wing with sliding track vinyl windows. – **Noncontributing**





### **546 S. Hough Street - Contributing**

Located at 546 S. Hough Street is a two-story, frame, gabled ell Folk dwelling built ca. 1880. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (E) façade is a shed roof, partial-width porch with original chamfered columns, scroll brackets, a square wood baluster railing and a gable over the entrance bay with sawtooth and fish scale shingles. The porch has a wood floor and is supported by concrete block piers. The main entrance has an original single-light glass and wood panel door. Windows are original one-over-one double hung wood sash with wood cornice surrounds. In the gable fields are rectangular single-light fixed attic windows. On the south façade is an entry porch added ca. 1940, with square wood posts and a wood railing. This entrance also retains its original single-light glass and wood door.

Located to the rear of the dwelling is a ca. 1910, single-bay, frame garage with a gable roof of asphalt shingles and an exterior of vertical board siding. The building has either been moved to this location or has shifted dramatically off of its foundations as it is leaning. The garage has no visible door and the windows are fixed, single-light glass and wood design with wood surrounds.

**- Contributing**





### 547 S. Hough Street - Contributing

At this location is a two-story gabled ell Folk Victorian dwelling built ca. 1880. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is an elliptical entry porch with original milled columns, a conical roof, square wood railings and an original shed roof enclosed mudroom section set within the ell. The main entrance has a ca. 1980, wood panel door. The windows are original, two-over-two double hung wood sash with wood cornice surrounds. On the projecting bay of the main elevation's lower level is a bay window with a pent roof, a leaded glass transom and a large fixed glass light with a wood surround beneath which are decorative drop pendants with a span of wood dentils between all on a wood panel. On the south façade is ca. 1960, hipped roof, side entry porch with original chamfered wood columns and a flat roof bay window with three one-over-one double hung wood sash windows beneath which are inset wood panels.



Located off the southeast corner of the dwelling is a ca. 1920, single-bay, frame garage with a gable roof of asphalt shingles, an exterior of vertical board siding and an original glass and wood garage door. - **Contributing**





### **602 S. Hough Street - Noncontributing**

This building was originally built in 1956 as the Barrington Public Library and remodeled in 1979 into the Township Building. The building is a one-story, brick veneer, side-gabled Colonial Revival style building with a gable roof of asphalt shingles, a continuous poured concrete foundation, two exterior wall brick chimneys and an exterior of stretcher bond brick veneer. On the main (E) façade is a gable roof entry porch with original Tuscan wood columns and ca. 1980, wrought iron railings. The main entrance has an original paneled wood door with two leaded glass lights and leaded glass sidelights. The windows in the building are original, six-over-nine double hung wood sash. At the eaves are modillion blocks. The gable field of the porch has an elliptical attic window with a keystone and a sunburst pattern. In the center of the ridgeline of the roof is a hexagonal cupola with louvered vents and a weathervane.



### 603 S. Hough Street - Contributing

Located at 603 S. Hough Street is a two-story, frame, gabled ell Folk Victorian dwelling built ca. 1890. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is an elliptical entry porch with original milled columns, square wood railings and a spindled frieze and an original shed roof enclosed mudroom section set within the ell. The main entrance retains its original single-light and three-wood panel door. The projecting bay on the main façade has a bay window with a hipped roof of asphalt singles, double decorative brackets at the cornice and a six-light fixed window flanked by one-over-one double hung wood sash windows. Other windows in the dwelling are original one-over-one wood double hung wood sash windows with four-light storm windows. At the eaves are dentils. On the north façade is an original gable roof entry porch supported by milled wood columns with wood sunburst brackets. The north elevation entrance has an original two-light and wood panel door. On the rear façade is an original, two-story, gable roof wing.

Sited behind the dwelling is a ca. 1980, one- and one-half-story, frame playhouse with a hipped roof tower of wood shingles and an exterior of weatherboard and plywood and a wood baluster walkway. – **Noncontributing**







### **615 S. Hough Street - Contributing**

Located at 615 S. Hough Street is a one-and one-half-story, frame, gabled ell Folk dwelling built ca. 1890. The house has a continuous concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an ca. 1920, exterior of stucco. On the main (E) façade is a ca. 1930, Bungalow-influenced, hipped roof wraparound porch with a stucco skirt wall and square, stucco-covered columns. The main entrance has an original, two-arched light and wood panel door with an aluminum and glass storm door. Windows are original, one-over-one wood sash with wood surrounds. On the main façade's first floor is a large, single-light fixed picture window with a single-light transom.

Located to the rear of the dwelling is a ca. 1920, two-bay, frame garage with hipped roof of green asphalt shingles, an exterior of weatherboard siding and two, original, fifteen-wood panel overhead track doors. - **Contributing**





**619 S. Hough Street – Contributing (ARC Case 04-24)**

Located at 619 S. Hough Street is a two-story rectangular Folk dwelling built ca. 1900. The house has a continuous poured concrete foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. The main entrance has a ca. 1930, Bungalow style three-light glass and wood door. Windows on the first floor of the main façade are ca. 1940, eighteen-light fixed glass and wood with wood cornice surrounds. Other windows in the dwelling are original one-over-one double hung wood sash with wood surrounds. On the main façade is a gabled wall dormer with a small, one-over-one double hung wood sash window with a wood cornice surround.

Located to the rear of the dwelling is a ca. 1930, two-bay, frame garage with ca. 1980, overhead metal panel garage doors, an exterior of aluminum siding and a side gable roof of asphalt shingles. - **Contributing**





**620 S. Hough Street – Noncontributing (ARC Case 02-09)**

Two-story brick veneer apartments built ca. 1970.



### **627 S. Hough Street - Contributing**

At this location is a one-and one-half-story side-gabled Colonial Revival-influenced Folk dwelling built ca. 1930. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. The main entrance retains its original nine-light and wood panel door. Windows are original, six-over-six rectangular double hung wood sash. On the roofline of the main façade are two, gable roof dormers each with a single, six-over-six double hung wood sash window. On the north façade is an original single bay garage with six-light and six-wood panel hinged double doors.



Located behind 627 South Hough Street is an original gable front Folk guest house with a clipped gable roof of asphalt shingles, a stucco exterior, six-light casement windows with wood surrounds and a ca. 1980, solid wood door. - **Contributing**





### **633 S. Hough Street - Contributing**

Located at 633 S. Hough Street is a one-and one-half-story, frame, gabled ell Folk dwelling built ca. 1890. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is a ca. 1945 shed roof entry porch remodeled ca. 1970 with a square wood post and a square wood baluster railing. The current porch style replaced the original wraparound porch. The window in the projecting gable bay on the first floor's main façade has is a single-light fixed window with a leaded glass single-light transom. The main entrance has an original single-light glass and wood door. The windows are original one-over-one rectangular wood sash with wood surround cornices. On the rear façade is a ca. 1950, one-story addition with one-over one double hung wood sash windows.

Located off the northeast corner of the dwelling is a ca. 1930, two-bay, frame garage with a hipped roof of asphalt shingles, a stucco exterior and glass and wood garage doors.

### **- Contributing**





### 638 S. Hough Street - Contributing

At this location is a two-story rectangular intersecting-gable roof dwelling built ca. 1890. This Folk Victorian house with Italianate influence has a brick foundation, a gable roof of asphalt shingles and an exterior of vinyl siding. The main entrance has a ca. 1970, paneled wood door and original rectangular transom above which is a wood mansard roof canopy with scroll brackets. Windows are ca. 1970, nine-over-nine and six-over-six double hung wood sash with wood cornice surrounds with a saw-tooth frieze and corner blocks. On the projecting bay of the main façade is a bay window with a metal mansard roof, a bracketed eave, a saw-tooth frieze and three nine-over-nine wood sash windows below which are decorative inset wood panels. The windows have wood cornices.

Located to the rear of the dwelling is a ca. 1970, single-bay, frame garage with a wood panel overhead track door, a front gable roof of asphalt shingles and an exterior of vinyl siding. The garage is connected to the house via an open, two-story breezeway. – **Noncontributing**







**640-42 South Hough Street – Noncontributing**

At this location is a brick duplex constructed ca. 1970.



### **645 S. Hough Street – Contributing**

Located at 645 S. Hough Street is a two-story side-gabled Colonial Revival style dwelling built ca. 1925. The dwelling has a continuous rock-faced concrete block foundation, a gable roof of asphalt shingles, an exterior of masonite siding and an interior wall brick chimney. On the main (W) façade is a gable roof entry porch with original square wood columns. The main entrance has an original six-panel wood door with original eight-light glass and wood sidelights. Windows are both original, eight-over-eight wood sash and ca. 1980, vinyl sash with six-over-six muntin bars flanked by wood shutters and having aluminum awnings on the main façade's lower façade. On the south façade is an original shed roof sunroom with eight-light wood casement windows.

Off the northeast corner of the dwelling is an original, two-bay, frame garage with a hipped roof of asphalt shingles, an exterior of weatherboard siding and ca. 1980, metal panel overhead track doors. - **Contributing**





**647 South Hough Street – Noncontributing**  
Ca. 2000 duplex.

Detached garage in rear. - **Noncontributing**



**648 S. Hough Street – Contributing (ARC Case 01-17)**

Located at 648 S. Hough Street is a two-story, gable front Craftsman dwelling built ca. 1930. The dwelling house has a continuous rock-faced concrete block foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. The main (E) façade has an original, gable roof sun porch with a frame skirt wall, an original single-light glass and wood door, three-over-two fixed windows, exposed roof rafters, knee brace brackets and square Doric- motif columns. The main entrance retains its original, single-light glass and wood door. Windows are original, one-over-one wood sash with simple wood surrounds. On the north and south facades are gable roof dormers with paired, original windows, exposed roof rafters and knee brace brackets. Knee brace brackets and exposed roof rafters are also located on the main section of the dwelling. On the rear façade is a ca. 1980, two-story, frame addition with a gable roof and an exterior of weather siding.

Located off the southwest corner is a ca. 1970 single-bay, frame garage with a glass and metal panel door, a front gable roof of asphalt shingles and an exterior of weatherboard.

**– Noncontributing**





### **652 S. Hough Street - Contributing**

Located at 652 S. Hough Street is a one-and one-half-story side-gabled Craftsman dwelling built ca. 1925. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles and an exterior of weatherboard siding. On the main (E) façade is an inset, full-width porch with tapered wood columns covered with weatherboard siding and connected by an arched wood valance. The porch was enclosed ca. 1970 with glass panels, an aluminum and glass storm door and wood framing. The main entrance has an original, six-panel wood door with original eight-light glass and wood sidelights. Windows are both original, eight-over-eight double hung wood sash and ca. 1980, six-over-six double hung vinyl sash. On the roofline of the main façade is a gable roof dormer with a triple set of one-over-one-double hung wood sash windows and a louvered vent in the gable field. On the south facade is an original, shed roof sunroom with eight-light wood casement windows. On the rear façade is an original shed roof wing.

Located to the rear of the dwelling is an original, frame, garage with a hipped roof of asphalt shingles, an exterior of weatherboard siding and ca. 1980 paneled metal panel garage doors. - **Contributing**

